









Hang-on doors











TGD produces any kind of hang-on glass door for freestanding appliances:

Catering appliances

Merchandisers

**Vending machines** 

Wine Cases














All doors can be prepared according to NT and LT coording to marchine to the cabinet:


Considering the LT version, doors can be confi

Full heating (glass and frame) configu



• 0 Energy











NT doors

Application temperature range from 5° C up to 30° C Wide range of glass units available from 24 to 35mm

Standard door comply with Class 3 UNI23953 Low-e glass available on demand from UG 1.9 down to 1.1

Coloured glass available on demand

UV ray filtering glass available on demand

#### LT heating doors:

Application temperature range Wide range of glass units available

Standard door comply with Class 3 UNI23953 Low-e glass available on demand from UG 1.9 down to 1.1

Possibility to increase the heating power to comply with the worst operating conditions

### LT 0 Energy doors:

Application temperature range

Standard door comply with Class 3 UNI23953 No electrical heating









Doors are aesthetically divided in

three aesthetically characterised ranges:





 Customised doors: anything is possible to follow-up your projects









Hang-on doors can be upgraded by innovating Led TGD patented technologies

BLS1: Solution for inside products lighting by led included in the glass unit

BLS2: Solution for inside products lighting by led included in the glass door frame

LAS: Led solution for any door included logo lighting





LAS



BLS2

pendoping good ite go





## Realook®: the innovative door

Realook® the most attractive glass door, capable of transforming any unit from a simple food storage device into a powerful means of communication which captures the attention of the consumer through:

on-screen games



- interaction with the proximity sensor
- social engagement via smartphor











Realook® can also provide extraordinary marketing information about customer behaviour and needs:

- how many people stop in front of the Realook® refrigerator;
- how many people interact with the Realook® unit and for how long;
- gender, age, ...;
- how many times the users open the Realook® unit;
- NFC/RFID loyalty card activities;
- unlock special offers with NFC tags







Realook® can streamline the management of the sales point, using a simple smartphone app to:

update the prices of the products behind the doors in real time;



- update the names and descriptions of the products in real time;
- manage product promotions and discounts in real time, focusing the attention of customers on pre-selected products by using really attractive graphic effects.

A fantastic promoter for impulse purchasing.



This isn't just a door: it's an innovative means of distribution!







Wide range of handles is available

to improve the aesthetic of the door



Pull handles



Overlapping handles

Embanked handles











	Available handles:						
	NAME	MATERIAL	STANDARD COLOR	OTHER COLORS RAL			
	MAX	Aluminum	Silver satin anodised aluminum	On demand			
	Рор						
(	Arc	Plastic	Ral 7035	On demand			
	Eko	Plastic	<b>Ral</b> 7035	On demand			
	Flap	Aluminum	Silver satin anodised aluminum	On demand			





Doors can be equipped or predisposed for **self closing** system devices installation

## TGD recommended self-closing devices are:

Soft Power 25 / Soft Power 45



Spring system









Available self closing system:						
	NAME	DESCRIPTION	GRANTED CYCLES			
	SP25	Soft closing device for doors up to 25Kg.	500.000  ALL RIGHTS RESERVED  ALL RIGHTS RESERVED			
Service of the servic	SP45		500,000 PATENT PENDING PENDING ALL RIGHTS RESERVED			
	T. Bar	Torsion bar hinge	500.000			
	G Torque	Gravity self closing device	300,000			





# TGD, any kind of hang-on glass door







